

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	70	((natural adj language) near5 question\$3) and ((service authoriz\$5 authoris\$5 secur\$3 protect\$3) near5 level) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/23 13:58
L3	16	"5,895,466"	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/23 13:05
L8	43	(display\$3 present\$3 input\$4 enter\$4) same ((natural adj language) near5 question\$3) and ((service authoriz\$5 authoris\$5 secur\$3 protect\$3) near5 level) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/23 13:11
L9	40	(display\$3 present\$3 input\$4 enter\$4) near5 ((natural adj language) near5 question\$3) and ((service authoriz\$5 authoris\$5 secur\$3 protect\$3) near5 level) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/23 13:14

EAST Search History

L10	42	(display\$3 present\$3 input\$4 enter\$4) near5 ((natural adj language) near5 question\$3) and ((service authoriz\$5 secur\$3 protect\$3 access\$3) near5 level) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 13:15
L12	16	(display\$3 present\$3 input\$4 enter\$4) near5 ((natural adj language) near5 question\$3) same ((authoriz\$5 authoris\$5 secur\$3 protect\$3 access\$3)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 13:22
L16	2	(select\$3 choos\$3 chosen pick\$3) near5 ((natural adj language) near5 question\$3) same (authoriz\$5 authoris\$5 secur\$3 protect\$3 access\$3 permission level right password username (user adj name)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 15:13

EAST Search History

L17	32	(select\$3 choos\$3 chosen pick\$3) near5 ((natural adj language) near5 question\$3) and (authoriz\$5 authoris\$5 secur\$3 protect\$3 access\$3 permission level right password username (user adj name)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 13:34
L19	3	faq near5 (right permission authoriz\$5 authoris\$5) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 13:33
L22	1	(predetermined preset precustomized prespecified (pre adj (determined set customized specified))) with ((natural adj language) near5 question\$3) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 13:39
L23	11	list near5 ((natural adj language) near5 question\$3) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 13:46

EAST Search History

L24	117	(customized determined set) near5 ((natural adj language) near5 (quer\$4 question\$3)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 13:48
L26	14	((customized determined set) near5 (natural adj language) near5 (quer\$4 question\$3)) and ((access\$3) near5 (level permission authoriz\$5 authoris\$5)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 13:55
L27	5	09/782873	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 13:55
L28	120	((select\$3 display\$3 list\$3) near5 (question\$3)) same ((service authoriz\$5 authoris\$5 secur\$3 protect\$3 access permission) near5 (level right permission)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403")	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 14:00

EAST Search History

L29	16	((select\$3 display\$3 list\$3) near5 (question\$3)) near10 ((service authoriz\$5 authoris\$5 secur\$3 protect\$3 access permission) near5 (level right permission)) and (@pd<"20020403" @rlad<"20020403" @ad<"20020403"))	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 14:00
L31	11117	(707/3 707/4).ccls.	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 15:14
L32	192037	("707" "705" "715" "709"). clas.	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 15:14
L33	8	2 and 31	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 15:14

EAST Search History

L34	1	28 and 31	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 15:15
L35	42	24 and 31	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 15:15
L37	2	9 and 35	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 15:15
L39	3	2 and 35	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/23 15:15

EAST Search History

S1	54	(access\$3 near5 (authority right level)) same ((user near1 name) username) and (question near10 (menu list box))	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 14:22
S2	16	(access\$3 near5 (authority right level)) near10 ((display\$3 present\$5) near5 question)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 09:46
S3	1	"20030113727"	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 10:46
S4	1	10/509442	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 14:08

EAST Search History

S5	60	(access\$3 near5 (authority right level)) and ((user near1 name) username) and (question near10 (menu list box)) and ((sales business) adj data)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 11:30
S6	169	(role near1 based) near5 access and "705".clas.	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 11:24
S7	18	(rol\$3 near5 based near5 access) and ((user near1 name) username) and (question near10 (menu list box)) and ((sales business) adj data)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 11:32
S8	43	(service near5 level) and ((user near1 name) username) and (question near10 (menu list box)) and ((sales business) adj data)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 12:34

EAST Search History

S9	1	"20030167197"	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 12:43
S10	914	(question near5 (menu list)) near10 select\$5	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 12:44
S11	228	((question near5 (menu list)) near10 select\$5) and ((access\$3 service authori\$5) near5 level)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 12:44
S12	7	((question near5 (menu list)) near10 select\$5) same ((access\$3 service authori\$5) near5 level)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 12:47

EAST Search History

S13	44	((question near5 (menu list)) near10 select\$5) and ((access\$3 service authori\$5) near5 level) and (((user near1 name) username) near10 password)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 12:49
S14	266	(security near1 application) and (service near1 application) and (framework near1 application)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 14:11
S15	190	(security near1 application) and (service near1 application) and (framework near1 application) and (((user near1 name) username) near5 password)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 14:11
S16	181	(security near1 application) and (service near1 application) and (framework near1 application) and (((user near1 name) username) near5 password) and ((access service) near5 level)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 14:12

EAST Search History

S17	181	(security near1 application) and (service near1 application) and (framework near1 application) and (((user near1 name) username) near5 password) and ((access service) near5 level) and database	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 14:12
S18	7	(security near1 application) and (service near1 application) and (framework near1 application) and (((user near1 name) username) near5 password) and ((access service) near5 level) and (question near5 (list menu))	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 14:13
S19	1	(security adj application) and (service adj application) and (framework adj application) and (((user near1 name) username) near5 password) and ((access service) near5 level) and (question near5 (list menu))	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 14:14
S20	2	(security adj application) and (service adj application) and (framework adj application) and (((user near1 name) username) near5 password)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 14:16

EAST Search History

S21	0	(security adj software) and (service adj software) and (framework adj software)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 14:16
S22	5	(security adj module) and (service adj module) and (framework adj module)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 14:16
S23	469	(access\$3 near5 (authority right level)) same ((user near1 name) username) and (security near5 (software module program application))	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 14:25
S24	74	(access\$3 near5 (authority right level)) same ((user near1 name) username) same (security near5 (software module program application))	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 15:25

EAST Search History

S25	313	(access\$3 near5 (authority right level)) same ((user near1 name) username) same (access\$3 near5 (software module program application))	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 15:29
S26	208	(access\$3 near5 (authority right level)) same (((user near1 name) username) near10 password) same (access\$3 near5 (software module program application))	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 15:29
S27	62	(access\$3 near5 (authority right level)) same (((user near1 name) username) near10 password) same (access\$3 near5 (software module program application)) and @rlad<"20020403"	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 15:30
S28	16	(access\$3 near5 (authority right level)) same (((user near1 name) username) near10 password) same (access\$3 near5 (software module program application)) and @pd<"20020403"	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 15:37

EAST Search History

S29	8	(access\$3 near5 (authority right level)) same (((user near1 name) username) near10 password) same (web near5 (page site)) and @pd<"20020403"	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 15:39
S30	23	(access\$3 near5 (authority right level)) same (((user near1 name) username) near10 password) same (web near5 (page site)) and @ad<"20020403" not S29	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 15:46
S31	18	(access\$3 near5 (authority right level)) same (((user near1 name) username)) same (web near5 (page site)) and @ad<"20020403" not S30	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2007/07/16 15:46